

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: Chris D. Geddes et al.

Confirmation No.: 7528

Serial No.: 10/572,344

Filed: March 17, 3006

U.S. Patent No. 7,732,215

Date Issued: June 8, 2010

Title: CYANIDE SENSING COMPOUNDS AND USES THEREOF

Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
P.O. Box 1450  
Alexandria, VA 22313-1450

Customer No.: 24,239

**SUBMISSION OF CERTIFICATE OF CORRECTION UNDER THE PROVISIONS OF 37 CFR  
§ 1.323 AND 35 U.S.C. § 255 FOR U.S. PATENT NO. 7,732,215**

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

1. 1. It is noted that an error appears in this patent of a

- ☒ clerical  
☐ typographical  
☐ minor

nature or character, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

2. Attached is Form PTO/SB/44.

3. Please send the Certificate to:

Name: Marianne Fuierer, Moore and Van Allen PLLC

Address: Post Office Box 13706

Research Triangle Park, NC 27709

(complete, if applicable)


4. The fees of \$100.00, as required by 37 CFR 1.20(a), is being paid as follows:



The required fees totaling \$100.00 will be paid via EFT.



Credit or charge Deposit Account No. 13-4365 for any fee overpayments or deficiencies.



---

Marianne Fuierer

Reg. No.: 39,983